

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 740 | (change or switch or switching or pick or choose) SAME ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) SAME server (@ad<"20000518" OR @rlad<"20000518") NOT akamai.as. NOT accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 11:29 |
| L2 | 332 | (change or switch or switching or pick or choose) SAME ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) SAME server (@ad<"20000518" OR @rlad<"20000518") (client with request) NOT akamai.as. NOT accenture.as. NOT helper.detd. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 12:12 |
| L3 | 1258 | ((change or switch or switching or pick or choose) WITH server) SAME client ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) (@ad<"20000518" OR @rlad<"20000518") NOT akamai.as. NOT accenture.as. NOT helper.detd. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 12:14 |
| L4 | 268 | ((change or switch or switching or pick or choose) WITH server) SAME client ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) (@ad<"20000518" OR @rlad<"20000518") player NOT akamai.as. NOT accenture.as. NOT helper.detd. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 12:57 |
| L5 | 3 | ("6546421".pn. OR "6195680".pn. OR "6377996".pn.) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 12:58 |
| L6 | 1 | DNS ("6546421".pn. OR "6195680".pn. OR "6377996".pn.) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 13:01 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S1 | 3234 | stream WITH (buffer OR cache) buffer packet @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/06 14:58 |
| S2 | 103 | (stream WITH (buffer OR cache)) SAME (advanced or future) buffer packet @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 11:33 |
| S3 | 98 | (stream WITH (buffer OR cache)) SAME (advanced or future) buffer packet (offset OR switch OR secondary OR alternate) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:29 |
| S4 | 162 | (stream WITH (buffer OR cache)) SAME (advanced OR future OR prefetch) buffer packet (offset OR switch OR secondary OR alternate) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:29 |
| S5 | 169 | (stream WITH (buffer OR cache)) SAME (advanced OR future OR prefetch) buffer packet (offset OR switch OR secondary OR alternate OR second) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:31 |
| S6 | 11519 | stream (buffer OR cache or pre\$1fetch) buffer packet @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:32 |
| S7 | 172 | stream (buffer OR cache or pre\$1fetch) buffer packet @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:33 |
| S8 | 55 | stream (buffer OR cache or pre\$1fetch) offset packet @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 12:50 |
| S9 | 195 | stream (buffer OR cache or pre\$1fetch) packet @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:11 |
| S10 | 28 | stream (buffer OR cache or pre\$1fetch) packet ((stream adj switch\$4) OR seamless)@ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:37 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S11 | 12 | stream (buffer OR cache or pre\$1fetch) packet ((stream adj switch\$4) OR (seamless WITH switch)) @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:42 |
| S12 | 10 | stream (buffer OR cache or pre\$1fetch) packet ((stream adj switch\$4) OR (seamless WITH switch)) @ad<"20000518" 709/231.ccls. NOT accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:37 |
| S13 | 1 | client\$1side WITH stream WITH switch\$3 @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:45 |
| S14 | 383 | stream\$3 smoothing switch\$3 packet (cache or buffer) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:55 |
| S15 | 2925 | stream\$3 packet (cache or buffer) WITH (switch\$3 or transition) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:55 |
| S16 | 3 | stream\$3 (pre\$1cache or pre\$1buffer) WITH (switch\$3 or transition) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:56 |
| S17 | 4 | stream\$3 (pre\$1cache or pre\$1buffer) WITH (seamless or switch\$3 or transition) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:56 |
| S18 | 6670 | stream\$3 (cache or buffer) WITH (switch\$3 or transition) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:56 |
| S19 | 2054 | stream\$3 (cache or buffer) WITH (switch\$3 or transition) offset @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 14:04 |
| S20 | 140 | stream\$3 (cache or buffer) WITH (switch\$3 or transition) offset @ad<"20000518" "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 13:57 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S21 | 582 | @ad<"20000518" 709/231.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 14:15 |
| S22 | 670 | hand\$1off (dynamic OR adaptive) stream (multi\$1media OR data OR packet) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 14:17 |
| S23 | 343 | hand\$1off (dynamic OR adaptive) stream (multi\$1media OR data OR packet) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:18 |
| S24 | 129 | hand\$1off (dynamic OR adaptive) (flow near2 (rate or control)) stream (multi\$1media OR data OR packet) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:20 |
| S25 | 4646 | (dynamic OR adaptive) (flow near2 (rate or control)) stream (multi\$1media OR data OR packet) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:18 |
| S26 | 66 | hand\$1off (dynamic OR adaptive) (flow near2 (rate or control)) (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:21 |
| S27 | 2479 | (dynamic OR adaptive) (flow near2 (rate or control)) (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:20 |
| S28 | 4265 | (flow near2 (rate or control or dynamic or adaptive)) (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:21 |
| S29 | 6533 | ((flow or rate) near2 (increase or enlarge or control or dynamic or adaptive)) (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:37 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S30 | 938 | ((flow or rate) near2 (increase or enlarge or control or dynamic or adaptive)) SAME (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:42 |
| S31 | 550 | (hand\$1off or switch) ((flow or rate) near2 (increase or enlarge or control or dynamic or adaptive)) SAME (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:42 |
| S32 | 567 | (hand\$1off or switch or seamless) ((flow or rate) near2 (increase or enlarge or control or dynamic or adaptive)) SAME (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:42 |
| S33 | 133 | ((flow or rate) near2 (increase or enlarge or control or dynamic or adaptive)) SAME (stream near2 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:49 |
| S34 | 1759 | (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:49 |
| S35 | 143 | (switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 15:51 |
| S36 | 122 | (switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" "709"/\$.ccls. not accenture.as. not "routing switch" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:12 |
| S37 | 1 | "5761601".PN. | USPAT; USOCR | AND | ON | 2006/09/12 16:09 |
| S38 | 1 | "5838927".PN. | USPAT; USOCR | AND | ON | 2006/09/12 16:09 |
| S39 | 1 | "5859660".PN. | USPAT; USOCR | AND | ON | 2006/09/12 16:10 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S40 | 129 | (splice or seamless or switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" "709"/\$.ccls. not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:14 |
| S41 | 1377 | (splice or seamless or switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:13 |
| S42 | 9 | (splice or seamless or switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) pre\$1buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:16 |
| S43 | 1377 | (splice or seamless or switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG)) buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:14 |
| S44 | 0 | client SAME ((switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG))) pre\$1buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:16 |
| S45 | 0 | client ((switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG))) pre\$1buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:17 |
| S46 | 8 | ((switch or hand\$1off) WITH (stream near1 (multi\$1media OR data OR packet or video or MPEG))) pre\$1buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:17 |
| S47 | 2807 | (switch or hand\$1off) WITH (stream) buffer @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:27 |
| S48 | 159 | (redundant or backup) near2 stream @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:34 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S49 | 39 | (redundant or backup) near2 stream client\$5 @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:28 |
| S50 | 6176 | switch with stream @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:35 |
| S51 | 79 | client SAME (switch with stream) @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:38 |
| S52 | 113 | client SAME (switch\$3 with stream) @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:40 |
| S53 | 78 | client SAME (switch\$3 with stream) (buffer or buffering) @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 16:46 |
| S54 | 94 | client ((switch or change) WITH stream\$3 WITH (source or server)) (buffer or buffering) @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:07 |
| S55 | 2 | "5371852".pn. or "5815663".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:00 |
| S56 | 97 | (secondary adj stream\$3) (buffer or buffering) @ad<"20000518" not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:08 |
| S57 | 45 | (secondary adj stream\$3) (buffer or buffering) @ad<"20000518" not accenture.as. "7"\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:15 |
| S58 | 43 | "secondary stream" (buffer or buffering) @ad<"20000518" not accenture.as. "7"\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:19 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S59 | 0 | "5982436".pn. @ad<"20000518" not accenture.as. "7"\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:19 |
| S60 | 1 | "5982436".pn. @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:20 |
| S61 | 3131 | buffer stream client server @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:21 |
| S62 | 1439 | buffer stream client server primary @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:21 |
| S63 | 2269 | buffer stream client server (primary OR main) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:23 |
| S64 | 2164 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) @ad<"20000518" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:23 |
| S65 | 1551 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) @ad<"20000518" NOT ATM not accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:24 |
| S66 | 1387 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) @ad<"20000518" NOT ATM not accenture.as. NOT telephony | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:25 |
| S67 | 636 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:32 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S68 | 605 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:32 |
| S69 | 605 | buffer stream client server (primary OR main) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:36 |
| S70 | 3 | buffer stream client server ((primary OR main) adj stream) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 17:36 |
| S71 | 22 | buffer stream client server ((primary OR main) adj (stream or server)) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:31 |
| S72 | 2 | ("6377996".pn. OR "6195680".pn.) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:28 |
| S73 | 2 | ("6377996".pn. OR "6195680".pn.) (increase or decrease) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:31 |
| S74 | 1 | ("6377996".pn. OR "6195680".pn.) rate | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:29 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S75 | 1 | (buffer near2 rate) stream client server ((primary OR main) adj (stream or server)) (replace OR change OR switch OR offset) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:32 |
| S76 | 1 | (buffer near2 rate) stream client server ((primary OR main) adj (stream or server)) (media or multi\$1media or video or mpeg) network @ad<"20000518" NOT ATM not accenture.as. NOT telephony NOT parallel | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2006/09/12 18:32 |
| S77 | 4552 | stream WITH (buffer OR cache) buffer packet (@ad<"20000518" OR @rlad<"20000518") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/06 14:59 |
| S78 | 1791 | (media or data or "multi-media" or multimedia) near2 (stream or streaming) (best or fastest or shortest or ideal or lowest) WITH (response OR ping OR time) server (@ad<"20000518" OR @rlad<"20000518") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/06 15:08 |
| S79 | 724 | (media or data or "multi-media" or multimedia) near2 (stream or streaming) (best or fastest or shortest or ideal or lowest) WITH (response OR ping OR time) server (@ad<"20000518" OR @rlad<"20000518") ("709"/\$.ccls. or "370"/\$.ccls.) NOT akamai.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/06 15:09 |
| S80 | 737 | (media or data or "multi-media" or multimedia or content) near2 (stream or streaming) (best or fastest or shortest or ideal or lowest) WITH (response OR ping OR time) server (@ad<"20000518" OR @rlad<"20000518") ("709"/\$.ccls. or "370"/\$.ccls.) NOT akamai.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/07 14:59 |
| S81 | 5429 | (change or switch or switching) WITH ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) (@ad<"20000518" OR @rlad<"20000518") NOT akamai.as. NOT accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/07 15:03 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S82 | 765 | (change or switch or switching) WITH ((media or data or "multi-media" or multimedia or content) near2 (stream or streaming)) (best or fastest or shortest or ideal or lowest) WITH (response OR ping OR time) (@ad<"20000518" OR @rlad<"20000518") NOT akamai. as. NOT accenture.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/04/09 11:22 |
|-----|-----|---|--|-----|----|------------------|